

1. The best description of the multidimensional integrative approach to understanding psychopathology is that it is based on
  - a. biological dimensions.
  - b. biological and psychological dimensions.
  - c. biological and psychological dimensions, as well as emotional influences.
  - d. biological and psychological dimensions, as well as emotional and developmental influences.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Conceptual

2. Within the multidimensional integrative approach to understanding psychopathology, learned helplessness is considered a(n) \_\_\_\_\_ dimension.
  - a. biological
  - b. psychological
  - c. emotional
  - d. psychological

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Conceptual

3. The basis of the multidimensional integrative approach to understanding psychopathology is that each dimension (psychological, biological, emotional, etc.)
  - a. operates independently.
  - b. is sufficient to cause pathology.
  - c. builds on the dimension that precedes it.
  - d. is influenced by the other dimensions.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Conceptual

4. Your uncle spent most of his teen years in a hospital undergoing treatment for a severe physical illness. As an adult, he is rather shy and withdrawn, particularly around women. He has been diagnosed with social phobia, which you believe is entirely due to lack of socialization during his teen years. Your theory or model of what caused his phobia is \_\_\_\_\_.
  - a. multidimensional
  - b. integrative
  - c. one-dimensional
  - d. biological

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Applied

5. According to the multidimensional integrative approach to psychopathology, the following statement is true for most psychological disorders:
- a. If one monozygotic twin has a particular disorder, the other twin will definitely have the disorder as well
  - b. Monozygotic twins are no more likely to share psychological disorders than any other siblings
  - c. Monozygotic twins are no more likely to share disorders than any other two people selected at random from the population
  - d. If one monozygotic twin has a particular psychological disorder, the other twin is more likely to have the disorder than the rest of the population

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Conceptual

6. Amanda is 12 years old, and her sister Samantha is five years old. While riding in a car with their parents, the girls witness a major automobile accident where a number of people are injured. The girls react very differently to the accident. This is probably due to
- a. biological differences.
  - b. developmental differences.
  - c. psychological differences
  - d. sociocultural differences

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* One-Dimensional versus Multidimensional Models

*OTHER:* TYPE: Applied

7. The most accurate way to think of genes is that they
- a. set boundaries for our development.
  - b. determine both our physical and psychological characteristics.
  - c. determine physical but not psychological characteristics.
  - d. actually have very little to do with any of the characteristics that we display.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

8. Referring to behavior and personality as polygenic means that both are
- a. influenced by only a few genes, but each has a large effect.
  - b. influenced by many genes, with each individual gene contributing a relatively small effect.
  - c. influenced by individual genes only rarely.
  - d. a result of our genetic structure only.

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

9. The procedures referred to as quantitative genetics are used to
- determine the effects of multiple genes.
  - provide genetic counseling.
  - correct genetic abnormalities.
  - test the multidimensional integrative model.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

10. Most psychological disorders appear to be influenced by many individual genes rather than caused by one single gene, a process referred to as \_\_\_\_\_ influence.
- multigenic
  - polygenic
  - unigenic
  - morphogenic

*ANSWER:* b

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

11. Inga is a charming and intelligent young lady who is well-liked by family and friends. Approximately \_\_\_\_\_ of Inga's enduring personality traits and cognitive abilities can be attributed to genetic influence.
- 25%
  - 50%
  - 75%
  - 100%

*ANSWER:* b

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Applied

12. The most recent estimates are that genetics contribute approximately \_\_\_\_\_ to the development of personality characteristics such as shyness or activity level.
- 10-20%
  - 30-50%
  - 75-85%
  - nothing

*ANSWER:* b

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

13.

According to recent estimates, genetic contributions to the development of most psychological disorders are \_\_\_\_\_.

- a. below 50%
- b. above 50%
- c. different for each disorder (estimates range from 0 to 100%)
- d. nonexistent

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

14. Recent evidence regarding the genetic influence on most psychological disorders has shown that

- a. single genes are usually responsible for psychological disorders.
- b. genes that influence psychopathology are usually recessive.
- c. there is no evidence that genes influence psychopathology.
- d. multiple genes interact, with each gene contributing a small effect.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

15. In the diathesis-stress model, "diathesis" refers to

- a. an inherited disorder.
- b. conditions in the environment that can trigger a disorder depending upon how severe the stressors are.
- c. an inherited tendency or condition that makes a person susceptible to developing a disorder.
- d. the inheritance of multiple disorders.

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

16. In the diathesis-stress model, "stress" refers to

- a. life events, in combination with an inherited tendency, that trigger a disorder.
- b. inherited tendencies, in combination with life events, that trigger a disorder.
- c. defective genes.
- d. exposure to very unusual and extreme environmental conditions.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

17. According to the diathesis-stress model, psychopathology is the result of the
- interaction between normal and defective or damaged genes.
  - stress level of an individual and how stress is managed in a person's life.
  - family history of an individual.
  - interaction of an inherited tendency and events in a person's life.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

18. According to the diathesis-stress model, monozygotic twins raised in the same household will
- not necessarily have the same disorders because of potential differences in their diathesis.
  - have the same disorders because their diathesis and stress are exactly the same.
  - not necessarily have the same disorders because of potential differences in their stress.
  - have no more likelihood of sharing a disorder than any other two randomly selected individuals from the population.

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

19. According to the diathesis-stress model,
- mental disorders will always develop given a certain level of stress.
  - once a diathesis for a particular disorder is inherited, the disorder will eventually develop.
  - an individual's inherited tendencies are not affected by stressful life events he or she encounters.
  - it is possible to inherit a diathesis and never develop a disorder.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

20. The model that describes the development of psychopathology as a combination of an inherited predisposition and the events that have occurred in the individual's life is called \_\_\_\_\_.
- diathesis-stress
  - genetic
  - bio-behavioral
  - psychoanalytic

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

21.

In a landmark study by Caspi et. al. (2003), researchers studied the stressful life events and genetics of 847 individuals. For individuals who had at least four stressful life events, the risk of major depression

- a. remained unchanged regardless of genetic makeup.
- b. doubled if they possessed two short alleles of the gene being studied.
- c. was reduced by half if they possessed two short alleles of the gene being studied.
- d. was entirely related to the genetic makeup and not the number of life stressors.

*ANSWER:* b

*DIFFICULTY:* Difficult

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

22. The idea that our inherited tendencies influence the probability that we will encounter stressful life events is a characteristic of the \_\_\_\_\_.

- a. diathesis-stress model
- b. reciprocal gene-environment model
- c. genetic model
- d. psycho-social model

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

23. John has inherited a personality trait that makes him more likely to keep to himself than to socialize. As a result, he does not have many friends and spends a lot of time alone. If John were to develop depression, the model that would probably best explain this situation and the cause of his depression is \_\_\_\_\_.

- a. diathesis-stress
- b. biological
- c. reciprocal gene-environment
- d. interpersonal

*ANSWER:* c

*DIFFICULTY:* Difficult

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Applied

24. Some people may be genetically predisposed to seek out difficult relationships. These difficult relationships may contribute to their experience of depression. This is an example of the \_\_\_\_\_.

- a. diathesis-stress model
- b. reciprocal gene-environment model
- c. genetic model
- d. quantitative genetics model

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

25. Research studies using the procedure called "cross fostering" have shown that genetically emotional and reactive young animals raised by calm mothers tended to be
- calm.
  - emotional and reactive.
  - calm but emotional and reactive when raising their own young.
  - emotional and reactive but calm when raising their own young.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

26. Cross-fostering studies indicate that the environmental effects of early parenting
- had no effect on any genetic contribution to be reactive to stress.
  - seem to override any genetic contribution to be reactive to stress.
  - had no effect on future generations in the expression of personality traits or temperament.
  - had random effects on any genetic contribution to be reactive to stress.

*ANSWER:* b

*DIFFICULTY:* Difficult

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

27. Looking at the findings of many cross-fostering studies (Francis et al., 1999, Suomi, 1999, Tienari et al., 1994) it appears that positive interventions such as good parenting in early life may
- have little effect in terms of preventing psychopathology in those genetically predisposed to such conditions.
  - dramatically change the genetics of individuals genetically predisposed to psychopathology.
  - have a greater effect on future generations than on the individual exposed to the "good parenting."
  - override the genetically influenced tendency to develop psychopathology in later life.

*ANSWER:* d

*DIFFICULTY:* Difficult

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

28. Some of the most recent research studies regarding genetic vs. environmental causes of disorders in animals and humans have suggested
- a. genetic influences are greater than originally observed because positive environmental conditions do not prevent disorders.
  - b. genetics and the environment share equal roles in the development of all psychological disorders.
  - c. the relative contributions of genetics and the environment in the development of psychological disorders are different for lower animals than for humans.
  - d. genetic influences may have been oversimplified by previous studies (i.e., without sufficient environmental stress, the genetic predisposition may never be activated.)

*ANSWER:* d

*DIFFICULTY:* Difficult

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

29. Recent research suggests that
- a. environmental manipulations early in life may do much to override the genetically induced tendency to develop undesirable behavioral activities.
  - b. environmental manipulations early in life may do much to override the genetically induced tendency to develop undesirable emotional activities.
  - c. an interaction between genes and environment plays an important role in every psychological disorder.
  - d. all of these

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Genetic Contributions to Psychopathology

*OTHER:* TYPE: Factual

30. The central nervous system is made up of the \_\_\_\_\_.
- a. brain and spinal cord
  - b. brain only
  - c. spinal cord only
  - d. nerves leading to and from the brain

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

31. The brain and the spinal cord comprise the
- a. peripheral nervous system.
  - b. somatic nervous system.
  - c. parasympathetic nervous system.
  - d. central nervous system.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual



32. The area between the axon of one neuron and the dendrite of another neuron is the \_\_\_\_\_.
- a. axon terminal
  - b. soma
  - c. synaptic cleft
  - d. transmission cleft

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

33. Which of the following statements is TRUE?
- a. Glial cells are passive cells that serve to connect and insulate neurons.
  - b. There are fewer glial cells than there are neurons.
  - c. There are different types of glial cells with several specific functions.
  - d. Glial cells slow down the process of neural communication.

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

34. The synaptic cleft is the area between the
- a. soma of one neuron and the dendrite of another neuron.
  - b. axon of one neuron and the dendrite of another neuron.
  - c. axon of one neuron and the soma of another neuron.
  - d. somas of two neurons.

*ANSWER:* b

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

35. Neurotransmitters are important because they
- a. allow neurons to send signals to other neurons.
  - b. maintain the oxygenation of the brain.
  - c. prevent the development of psychopathology.
  - d. allow the brain to maintain its structural integrity.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

36. The chemicals that allow transmission of signals between neurons are called \_\_\_\_\_.

- a. re-uptake inhibitors      b. hormones
- c. neurotransmitters        d. genes

*ANSWER:*        c

*DIFFICULTY:*    Easy

*REFERENCES:*   Neuroscience and Its Contributions to Psychopathology

*OTHER:*         TYPE: Factual

37. GABA, dopamine, and norepinephrine are all examples of \_\_\_\_\_.

- a. electrical brain waves      b. neurons
- c. neurotransmitters          d. areas of the brain

*ANSWER:*        c

*DIFFICULTY:*    Easy

*REFERENCES:*   Neuroscience and Its Contributions to Psychopathology

*OTHER:*         TYPE: Factual

38. Most automatic functions (e.g., breathing, sleeping, and motor coordination) are controlled by the part of the brain called the \_\_\_\_\_.

- a. brain stem      b. forebrain
- c. cortex          d. frontal lobes

*ANSWER:*        a

*DIFFICULTY:*    Moderate

*REFERENCES:*   Neuroscience and Its Contributions to Psychopathology

*OTHER:*         TYPE: Factual

39. Recent research has associated the \_\_\_\_\_ with autism. This is also the part of the brain that controls motor coordination.

- a. reticular activating system (RAS)      b. medulla
- c. pons    d. cerebellum

*ANSWER:*        d

*DIFFICULTY:*    Moderate

*REFERENCES:*   Neuroscience and Its Contributions to Psychopathology

*OTHER:*         TYPE: Factual

40. The part of the brain stem that regulates vital activities such as heartbeat, breathing, and digestion is the \_\_\_\_\_.

- a. cerebellum      b. reticular activating system (RAS)
- c. hindbrain      d. thalamus

*ANSWER:*        c

*DIFFICULTY:*    Easy

*REFERENCES:*   Neuroscience and Its Contributions to Psychopathology

*OTHER:*         TYPE: Factual

41. The \_\_\_\_\_ coordinates movement with sensory input and contains parts of the reticular activating system.
- a. hindbrain
  - b. midbrain
  - c. cerebral cortex
  - d. forebrain

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

42. Functions of the limbic system include control or regulation of
- a. basic body functions such as breathing.
  - b. sleep cycles.
  - c. emotional experiences, expressions, impulse control, and basic drives such as aggression, sex, hunger, and thirst.
  - d. body posture, coordinated movement, and involuntary responses such as reflexes and other automatic processes.

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

43. About 80% of the neurons contained in the central nervous system are located in the \_\_\_\_\_.
- a. cerebral cortex
  - b. brain stem
  - c. midbrain
  - d. basal ganglia

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

44. The ability to plan, think, reason, and create is located in the part of the brain called the \_\_\_\_\_.
- a. thalamus
  - b. midbrain
  - c. cerebral cortex
  - d. brain stem

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

45. Although the two halves of the cortex look alike structurally, the left hemisphere seems to be chiefly responsible for
- a. motor coordination.
  - b. perceiving the world around us.
  - c. creating images.
  - d. verbal and other cognitive processes.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

46. For most people, verbal and cognitive processes are usually controlled by the \_\_\_\_\_.
- a. left hemisphere of the cortex
  - b. right hemisphere of the cortex
  - c. entire cortex
  - d. midbrain

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

47. For most people, perception and the creation of images are usually handled by the \_\_\_\_\_.
- a. left hemisphere of the cortex
  - b. entire cortex
  - c. midbrain
  - d. right hemisphere of the cortex

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

48. The part(s) of the brain most associated with memory, thought, and reasoning is(are) the \_\_\_\_\_.
- a. occipital lobes
  - b. brain stem
  - c. left parietal lobe
  - d. frontal lobes

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

49. The peripheral nervous system is made up of the \_\_\_\_\_.
- a. endocrine system
  - b. brain stem and cortex
  - c. somatic and autonomic nervous system
  - d. brain and spinal cord

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

50. The major function of the peripheral nervous system is to
- a. carry messages to and from the central nervous system.
  - b. process information received from the central nervous system.
  - c. regulate arousal.
  - d. control hormonal activity.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

51. The network of glands that release chemical messengers directly into the bloodstream is called the \_\_\_\_\_.
- a. autonomic nervous system.
  - b. somatic nervous system.
  - c. limbic system.
  - d. endocrine system.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

52. According to your text's discussion of how neurotransmitters such as serotonin work, the term "biochemical imbalance" for the cause of disorders such as depression is probably \_\_\_\_\_.
- a. an oversimplification
  - b. about accurate
  - c. completely incorrect
  - d. a perfect description

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

53. Drugs that increase the activity of a neurotransmitter are called \_\_\_\_\_.
- a. agonists
  - b. antagonists
  - c. enhancers
  - d. psychotropics

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

54. Drugs that decrease the activity of a neurotransmitter are called \_\_\_\_\_.
- a. agonists
  - b. blockers
  - c. reuptake inhibitors
  - d. antagonists

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

55. The neurotransmitter associated with regulation of mood, behavior, and thought processes is \_\_\_\_\_.
- a. GABA
  - b. norepinephrine
  - c. serotonin
  - d. dopamine

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

56. Extremely low levels of GABA are associated with \_\_\_\_\_.

- a. decreased anxiety
- b. increased depression
- c. increased anxiety
- d. decreased depression

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

57. Recent research and increased understanding about the role of neurotransmitters in psychopathology point out that

- a. each psychological disorder is caused by a deficit in a specific neurotransmitter.
- b. chemical imbalances of the brain are the cause of psychopathology.
- c. simple cause/effect conclusions stating that an individual neurotransmitter abnormality causes a disorder are incomplete.
- d. neurotransmitters have very little to do with psychopathology for most individuals but may be the single cause of disorders for others.

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

58. Extremely low activity levels of serotonin are associated with \_\_\_\_\_.

- a. aggression, suicide, and impulsive behavior
- b. schizophrenia
- c. anxiety disorders and general feelings of nervousness
- d. mania

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

59.

The neurotransmitter thought to regulate or moderate certain behavioral tendencies rather than directly influencing specific patterns of behavior or psychological disorders is \_\_\_\_\_.

- a. norepinephrine
- b. GABA
- c. dopamine
- d. serotonin

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

60. The neurotransmitter associated with both schizophrenia and Parkinson's disease is \_\_\_\_\_.

- a. GABA
- b. norepinephrine
- c. dopamine
- d. serotonin

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

61. Extremely low levels of dopamine activity are associated with \_\_\_\_\_.

- a. muscle rigidity, tremors, and impaired judgment
- b. schizophrenia
- c. pleasure seeking
- d. exploratory behaviors

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

62. In the 1992 studies conducted by Baxter et al., OCD patients were provided with cognitive-behavioral therapy (exposure and response prevention) but no drugs. This study is important because brain imaging showed that

- a. the neurotransmitter circuits of the brain had been normalized.
- b. the patients' OCD symptoms improved without changes in neurotransmitter function.
- c. neither OCD symptoms nor neurotransmitter function had improved.
- d. neurotransmitter circuits are the direct and only cause of OCD.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

63. What is one of the conclusions generally drawn from the 1990s studies of OCD, brain imaging, and cognitive-behavioral therapy by Baxter et al., and the follow up studies by Schwartz et al.?

- a. Neurotransmitters affect how people feel and act
- b. Drugs are the only way to impact faulty neurotransmitter circuits
- c. Neurotransmitters are a result of how people feel and act, not a cause
- d. Psychosocial factors such as therapy affect neurotransmitters

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

64. In a recent study (Petrovic, Kalso, Peterson & Ingvar, 2002), subjects were exposed to a painful stimulus (heat to the hand) under three conditions: opiate medication, placebo (sugar pill) medication, and no medication. Brain scans indicated that a subject's experience of reduced pain with the placebo is due to
- activation of brain regions identical to those activated by opiate medication.
  - activation of brain regions that are overlapping, but not identical, to those activated by opiate medication.
  - psychological expectation since a placebo does not activate brain regions associated with pain control.
  - similarities in activated brain regions during the "no medication" condition.

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

65. Cognitive-behavior therapy facilitates changes in thinking patterns in the cortex, which in turn affects the emotional brain. This is called \_\_\_\_\_.
- confabulation
  - consolidation
  - a top-down change
  - a bottom-up change

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

66. Drugs often seem to work in a manner by reaching higher areas of the cortex where thinking occurs last. This is called \_\_\_\_\_.
- consolidation
  - confabulation
  - top-down processing
  - bottom-up processing

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

67. Insel, Scanlan, Champoux, and Soumi (1988) raised one group of rhesus monkeys with the ability to control things in their environment and another group of monkeys who had no control of their environment (e.g., when they would receive treats and toys). When injected with a drug that produces a feeling of severe anxiety, the monkeys
- raised with a sense of control appeared angry and aggressive while the monkeys raised without a sense of control appeared very anxious.
  - raised with a sense of control appeared anxious while the monkeys raised without a sense of control appeared angry and aggressive.
  - in both groups appeared anxious.
  - in both groups appeared angry and aggressive.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual



68. The significance of the study conducted by Insel, Scanlan, Champoux, and Soumi (1988) in which rhesus monkeys were raised either with a sense of control or without one and later exposed to an anxiety-inducing drug is that chemicals such as neurotransmitters
- have very direct effects on behavior.
  - influence behavior in different ways depending upon the psychological history of the individual.
  - influence individuals in fairly direct and consistent ways regardless of the psychological history of the individual.
  - have few reliable and consistent effects on observed behavior.

*ANSWER:* b

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

69. The most recent research evidence suggests that the relationship between the brain (structure, function, neurotransmitters) and psychosocial factors (socialization, rearing, life events) is best described as
- a system where our brains directly influence our behavior and psychosocial factors but not the other way around.
  - an interaction where the brain affects our psychosocial factors and psychosocial factors impact our brain.
  - a system where our behavior and psychosocial factors impact our brain but not the other way around.
  - far too complex to ever understand whether one system influences the other.

*ANSWER:* b

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

70. When comparing the brains of rats raised in a rich environment requiring lots of learning and motor behavior with the brains of rats raised as "couch potatoes" (Greenough, et al., 1990), the cerebellums of the more active rats
- contained more neuronal connections and dendrites.
  - contained fewer neuronal connections but more axons and dendrites.
  - were less likely to possess pathological neurotransmitter circuits.
  - were exactly the same as the inactive rats.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

71. Studies regarding rat learning and brain structure by Greenough, et al. (1990) and Wallace, et al. (1992) suggest that
- early experiences such as learning cause physical changes in the brain.
  - psychopathology is the result of early learning experiences.
  - while psychopathology is often a result of early life experiences, it is generally due to the physical changes in the brain that such experiences cause.
  - genetically caused brain structure problems can be corrected by positive life experiences.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

72. One conclusion that can be drawn from the studies regarding rat learning and brain structure (Greenough, et al., 1990; Wallace, et al., 1992) is that
- early psychological experience affects the development of the nervous system and will absolutely determine whether or not the individual will develop a psychological disorder later in life.
  - early psychological experience does not result in physical changes to the nervous system but can still influence whether or not one develops a psychological disorder.
  - early psychological experience affects the development of the nervous system and influences vulnerability to psychological disorders later in life.
  - early psychological experience has little to do with brain structure or later development of psychopathology.

*ANSWER:* c

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

73. Regarding biological influences on the development of psychopathology, the most accurate statement is
- both genetics and life events play a part in the development of brain structure and function that can affect vulnerability to psychopathology.
  - life events can only cause changes in brain structure or function for those with genetic defects.
  - early life events play a much greater role in the development of brain structure or function than genetics.
  - vulnerability to psychopathology has little to do with the brain changes associated with genetics or early life events.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

74. When one examines the current state of knowledge regarding genetics and life experience effects on brain structure and function, the best overall conclusion is that most psychological disorders are
- the result of a complex interaction of genetics and faulty neurotransmitter circuits.
  - the result of stressful early life experiences and the negative effects such experiences have on brain structure or function.
  - the result of both biological and psychosocial factors.
  - beyond our current ability to understand in any meaningful way.

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Conceptual

75. Recent research suggests that learning and experience
- only change the brain before birth.
  - change the brain through childhood.
  - change the brain through young adulthood.
  - change the brain at any age.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

76. Bullying studies in mice suggest that the functions of the mesolimbic system
- can be switched from avoidance to reinforcement.
  - can be switched from reinforcement to avoidance.
  - cannot be changed by experience.
  - can only be changed with drugs.

*ANSWER:* b

*DIFFICULTY:* Difficult

*REFERENCES:* Neuroscience and Its Contributions to Psychopathology

*OTHER:* TYPE: Factual

77. Rescorla (1988) demonstrated that simply pairing two events closely in time
- demonstrates the simplicity of classical conditioning.
  - does not allow us to make predictions.
  - becomes more meaningful as the pairings continue.
  - is not what's important in this type of learning.

*ANSWER:* d

*DIFFICULTY:* Difficult

*REFERENCES:* Behavioral and Cognitive Science

*OTHER:* TYPE: Conceptual

78. Learned helplessness is demonstrated in laboratory animals by
- creating aversive stimuli (such as electrical shocks to the foot) that the animal can control.
  - creating aversive stimuli (such as electrical shocks to the foot) that the animal cannot control.
  - creating pleasant stimuli (such as a food pellet) that the animal cannot control.
  - creating pleasant stimuli (such as a food pellet) that the animal can control.

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Factual

79. Placing a rat in a cage where electrical shocks over which the rat has no control are occasionally administered through the floor is a way to create \_\_\_\_\_.
- social learning
  - learned helplessness
  - unconscious learning
  - negative neurotransmitter pathways

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Factual

80. It is important to understand the process of how learned helplessness is created in laboratory animals because learned helplessness in animals resembles the human disorder of \_\_\_\_\_.
- panic disorder
  - depression
  - mania
  - schizophrenia

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Factual

81. Candace believes that no matter how hard she studies, she will never succeed in college. This behavior can best be explained by \_\_\_\_\_.
- personality disorder
  - faulty neurotransmitter circuits
  - learned helplessness
  - internal conflicts

*ANSWER:* c

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Applied

82. Meno is 64 years old. Although continuously faced with considerable stress and difficulty in his life, he always displays an optimistic, upbeat attitude. According to research, Meno should
- probably live longer than those without such positive attitudes.
  - live about the same length of time as those without such positive attitudes.
  - be less likely to have heart disease than those without such positive attitudes
  - be more likely to be involved with positive community activities than those without such positive attitudes.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Applied

83. According to Seligman, if a person who is faced with considerable stress and difficulty in his/her life displays an optimistic, upbeat attitude, he/she is likely to function better psychologically and physically. He called this \_\_\_\_\_.
- learned optimism
  - learned helplessness
  - learned awareness
  - learned predictability

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Conceptual

84. One important contribution of the work of Albert Bandura regarding modeling or observational learning is that
- much of our learned behavior depends upon our interactions with those around us.
  - our learned behavior has much more to do with the types of consequences (reinforcements and punishments) of our actions than our interactions with those around us.
  - it is impossible to learn behavioral patterns without observing those around us.
  - learning acquired through observation is much more resistant to extinction than behavior acquired through classical or operant conditioning.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Conceptual

85. Amanda learned to fear snakes after seeing one for the first time at the zoo. However, it took many exposures to the sound of tapping dancing shoes before she learned to fear that sound. The concept that would explain the fact that we learn to fear some objects more easily than others is
- prepared learning.
  - learned helplessness.
  - observational learning.
  - reciprocal determinism.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Applied

86. The major difference between the modern cognitive science idea of the unconscious and Freud's view of the unconscious is that Freud saw the unconscious as \_\_\_\_\_, whereas modern cognitive science views it as \_\_\_\_\_.
- a. the function of the id; the result of multiple neuronal pathways interacting with the stimuli presented to the individual
  - b. a seething caldron of emotional conflicts; neuronal pathways interacting with the stimuli presented to the individual
  - c. the function of the superego; the ability to process, store, and act upon information without awareness
  - d. a seething caldron of emotional conflicts; the ability to process, store, and act upon information without awareness

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Conceptual

87. According to modern cognitive science, the unconscious
- a. clearly exists in much the same way that Freud imagined.
  - b. may or may not exist, as it is impossible to study material that we are not aware of.
  - c. clearly does not exist.
  - d. clearly exists but in a very different way than Freud imagined.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Conceptual

88. In the Stroop color naming paradigm, a patient with a blood phobia would be expected to name the color of the printed word "wound"
- a. more quickly than a neutral word.
  - b. in about the same time it takes to name the color of a neutral word.
  - c. more slowly than a neutral word.
  - d. with a great deal of difficulty or not at all.

*ANSWER:* c

*DIFFICULTY:* Difficult

*REFERENCES:* Behavioral and Cognitive Psychology

*OTHER:* TYPE: Applied

89. Emotion is generally thought to be a(n) \_\_\_\_\_ elicited by a(n) \_\_\_\_\_.
- a. cognition; behavior
  - b. action tendency; threat
  - c. affect; cognition
  - d. physiological response; affective occurrence

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Emotions

*OTHER:* TYPE: Factual

90. You and a friend are lost while walking on a street in a foreign city. A stranger approaches, and you are concerned that the stranger may try to mug you. Your friend assumes that the stranger is approaching to give you directions. As the stranger approaches, you experience fear, but your friend experiences relief. Your different emotional reactions can be explained by the \_\_\_\_\_ theory of emotion.
- a. physiological
  - b. neurological
  - c. affective
  - d. cognitive

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Emotions

*OTHER:* TYPE: Applied

91. The relationship between emotion and health is demonstrated by the fact that
- a. panic is related to poor concentration.
  - b. people with chronic diseases are often angry about their care.
  - c. those in poor physical health almost always develop psychological disorders.
  - d. hostility and anger increase one's risk of heart disease.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Emotions

*OTHER:* TYPE: Factual

92. Studies examining the effects of anger and hostility on the cardiovascular system have demonstrated that anger results in
- a. decreased pumping efficiency of the heart.
  - b. increased pumping efficiency of the heart.
  - c. heart changes similar to those found when exercising.
  - d. few if any measurable changes in the heart.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Emotions

*OTHER:* TYPE: Factual

93. The "evil eye," Latin American *susto*, and the Haitian phenomenon of voodoo death are currently viewed as examples of the
- unsubstantiated myths that people can become ill without physical cause.
  - power of the social environment on our physical and psychological health.
  - power of the supernatural model of psychopathology.
  - isolated cultural phenomena with little practical significance.

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

94. The fact that women are more likely to suffer from insect phobias than men is most likely due to
- biological differences.
  - differences in neurochemical pathways.
  - cultural expectations.
  - genetic influences.

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

95. Anxious males tend to have a higher rate of alcoholism than females. One likely explanation for this difference is that men are
- more likely to use alcohol to deal with anxiety than to admit they are afraid.
  - less likely to be fearful of becoming alcoholic.
  - exposed to alcohol more often than women are.
  - more likely to see alcohol as a good long-term solution to problems such as anxiety.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

96. The influences of culture and gender on psychopathology are most clearly evident in the disorder of \_\_\_\_\_.
- bulimia nervosa
  - panic disorder
  - bipolar disorder
  - depression

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual



97. People who have many social contacts and live their lives continually interacting with others
- develop more infections and have poorer overall health.
  - have not been found to differ on any health outcome.
  - often suffer from psychological disorders such as dependency.
  - live longer and healthier lives.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Factual

98. Research exposing subjects to the virus that causes the common cold (Cohen et al., 1997) demonstrated that
- the lower the individual's socialization, the lower the chances of contracting a cold.
  - the greater the individual's socialization, the lower the chances of contracting a cold.
  - extent of socialization and chances of contracting a cold were unrelated.
  - the quality of social contact predicted whether the individual would contract a cold, but the frequency of social contact did not.

*ANSWER:* b

*DIFFICULTY:* Moderate

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Factual

99. Regarding the research on socialization and health, the safest conclusion is that
- social support is important but mostly for those individuals who are at high risk for various physical or psychological disorders.
  - having a supportive group of people around us is important to our physical health but not our psychological well-being.
  - having a supportive group of people around us is important to our psychological well-being but not our physical health.
  - having a supportive group of people around us is one of the most important parts of maintaining our physical and mental health.

*ANSWER:* d

*DIFFICULTY:* Difficult

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

100. In a study conducted by Haber and Barchas (1983), monkeys were injected with amphetamine, a central nervous system stimulant. Comparison of the drug's effects on the dominant versus submissive monkeys demonstrated that the effects of brain chemicals such as drugs are
- different for individual animals depending upon their place in the social hierarchy.
  - the same for all animals regardless of their place in the social hierarchy.
  - the same for all animals except for those with a biological predisposition for aggression.
  - different for individual animals but the differences appear to be random.

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

101. Research with the elderly has found that depression is more likely in those individuals who
- have frequent social contacts.
  - live in group settings.
  - have fewer social contacts.
  - receive increased attention from their families when they are sick.

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Factual

102. Depression and schizophrenia seem to appear in all cultures but tend to be characterized by different symptoms within individual cultures. For example, depression in Western culture is generally characterized by feelings of guilt and inadequacy, whereas in developing countries it is characterized by physical distress such as fatigue or illness. This is most likely due to
- genetic differences between individuals living in different cultures.
  - differences in treatment provided in different cultures.
  - reasons that our current methods of study are incapable of understanding.
  - the fact that social and cultural factors influence psychopathology.

*ANSWER:* d

*DIFFICULTY:* Difficult

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

103. Given the role of social factors in psychological disorders and the fact that psychological disorders are still associated with social stigma (people tend to think that the disorder is something to be ashamed of), there is a much greater chance that people with psychological disorders will
- a. be far more easily treated than those with physical disorders.
  - b. seek help for their disorders but be more likely to receive insufficient treatment than those with physical illness.
  - c. be ignored by mental health professionals when they seek help.
  - d. not seek and receive the treatment and support of others that are most needed for recovery.

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Conceptual

104. When we compare the incidence of psychological disorders across countries and cultures, we find that
- a. there is remarkable similarity in the rates of various disorders in different countries and cultures.
  - b. all Western countries have a similar rate of common disorders, but this is not true for developing countries.
  - c. developing countries have a much higher rate of psychological disorder than Western countries.
  - d. there are enormous differences in the rates of various disorders in different countries and cultures.

*ANSWER:* d

*DIFFICULTY:* Moderate

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Factual

105. Political strife, war, and suffering in a country tend to \_\_\_\_\_ the rate of psychological disorders in the country.
- a. decrease
  - b. have little effect on
  - c. have unpredictable effects on
  - d. increase

*ANSWER:* d

*DIFFICULTY:* Easy

*REFERENCES:* Cultural, Social, and Interpersonal Factors

*OTHER:* TYPE: Factual

106. A lifespan psychologist would point out that the only way to understand a patient's disorder is to understand how the individual
- a. developed from childhood to adulthood.
  - b. developed during the psychosexual stages.
  - c. resolved conflicts in early life.
  - d. sees himself/herself as part of a family, a community, and a culture.

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Life-Span Development

*OTHER:* TYPE: Conceptual

107. According to Eric Erikson, people
- a. only experience major change in adulthood.
  - b. are fully developed by age 50.
  - c. experience eight typical developmental crises across time.
  - d. experience no developmental changes after adolescence.

*ANSWER:* c

*DIFFICULTY:* Easy

*REFERENCES:* Life-Span Development

*OTHER:* TYPE: Factual

108. When therapists ask patients how they are feeling and how they are experiencing their disorder today, it is essentially taking "snapshots" of their lives at the moment. This approach to understanding psychopathology is criticized as incomplete by \_\_\_\_\_.
- a. lifespan psychologists
  - b. cognitive-behaviorists
  - c. humanists
  - d. all mental health workers

*ANSWER:* a

*DIFFICULTY:* Easy

*REFERENCES:* Life-Span Development

*OTHER:* TYPE: Conceptual

109. In an experiment by Kolb, Gibb, and Gorny (2003), animals of varying ages were placed in complex environments. Their findings suggest that
- a. the impact of the environment on the brain is different at varying stages of life.
  - b. the impact of the environment on the brain is significant but uniform throughout the lifespan.
  - c. environments that are beneficial to the aged may be harmful to the young.
  - d. the environment has little effect on the brain throughout the lifespan.

*ANSWER:* a

*DIFFICULTY:* Moderate

*REFERENCES:* Life-Span Development

*OTHER:* TYPE: Conceptual

110. The fact that some behaviors can be symptoms of many different disorders (e.g., delusions can be a result of amphetamine abuse or of schizophrenia) is an example of \_\_\_\_\_.
- a. equifinality
  - b. psychopathology
  - c. pathogenesis
  - d. orthogonal causation

*ANSWER:* a

*DIFFICULTY:* Difficult

*REFERENCES:* Life-Span Development

*OTHER:* TYPE: Factual

111. Children who are resistant to stress are considered to be \_\_\_\_\_.

- a. resilient      b. reliant
- c. resistant      d. reactive

*ANSWER:*      a

*DIFFICULTY:*   Moderate

*REFERENCES:*   Life-Span Development

*OTHER:*      TYPE: Factual

112. The term equifinality refers to the fact that

- a. once a process has begun, it will always lead to a final outcome.
- b. many causes of psychopathology are equal in influence.
- c. a number of paths can lead to the same outcome.
- d. all forms of psychopathology have similar causes.

*ANSWER:*      c

*DIFFICULTY:*   Difficult

*REFERENCES:*   Life-Span Development

*OTHER:*      TYPE: Factual

113. The fact that depression can be caused by mental illness or drug use is an example of how

- a. once a process has begun, it will always lead to a final outcome.
- b. many causes of psychopathology are equal in influence.
- c. a number of paths can lead to the same outcome.
- d. all forms of psychopathology have similar causes.

*ANSWER:*      c

*DIFFICULTY:*   Difficult

*REFERENCES:*   Life-Span Development

*OTHER:*      TYPE: Factual

114. The fact that a disorder can be caused by a variety of factors illustrates the principle of \_\_\_\_\_.

- a. equifinality      b. isolation
- c. equilibration      d. isolation

*ANSWER:*      a

*DIFFICULTY:*   Difficult

*REFERENCES:*   Life-Span Development

*OTHER:*      TYPE: FACT

115. According to the abnormal psychology video clip, psychopathology is due to \_\_\_\_\_.

- a. psychological processes
- b. biological processes
- c. both biological and psychological processes
- d. neither biological or psychological processes

*ANSWER:*      c

*DIFFICULTY:*   Moderate

116. Our understanding of psychology as an integrated process is in part a function of \_\_\_\_\_.
- a. better measurement tools
  - b. greater biological knowledge
  - c. application of scientific study to psychological processes
  - d. all of the above

*ANSWER:* d

*DIFFICULTY:* Moderate

117. Describe the diathesis-stress model. Use it to explain how one identical twin suffers from clinical depression while the other does not.

*ANSWER:* This model argues that a diathesis is a vulnerability and a stress is an unpleasant experience, which together can cause behavioral and emotional disorders. Identical twins typically share the same genetic vulnerability but may not have the same life experiences.

118. Psychoactive medications (drugs that impact our thoughts, emotions, and behavior) usually alter neurotransmitters in the brain. Explain how both an agonist and an antagonist operate on a neurotransmitter. Explain the process of blocking reuptake and the effect it has on a neurotransmitter.

*ANSWER:* Agonists increase the effects of a transmitter, while antagonists decrease their effects. Reuptake involves the process of neurons reabsorbing their own transmitters from the synapse. When reuptake is blocked, the neurotransmitter stays in the synapse longer, which tends to prolong its effects in an agonistic way.

*REFERENCES:* Neuroscience and its Contributions to Psychopathology

119. What are the basic components of the multidimensional integrative model, and what does the term integrative mean in this model?

*ANSWER:*

- Behavioral
- Biological
- Social
- Emotional
- Developmental

This use of the term “integrative” refers to the model’s premise that many factors interact to cause any given disorder.

*REFERENCES:* One-Dimensional versus Multidimensional Models

120. Name three important neurotransmitters and describe what impact each one is thought to have on human experience.

*ANSWER:* GABA- inhibitory neurotransmitter  
Glutamate-excitatory transmitter  
Serotonin- neurotransmitter that regulates behavior, moods, and thought processes  
Norepinephrine-neurotransmitter involved in endocrine regulation  
Dopamine-neurotransmitter implicated in psychological disorders and the control of movement

*REFERENCES:* Neuroscience and its Contributions to Psychopathology

121. Explain the principle of equifinality and its use in developmental psychopathology.

*ANSWER:* Equifinality indicates that a number of paths to a given outcome must be considered, for example, a hallucinatory syndrome may be the result of schizophrenia or the result of taking LSD. The different paths can also be the result of the interaction of psychological and biological factors during various stages of development.

*REFERENCES:* Life-Span Development