

Elementary Statistics in Social Research, 12th Edition. (ISBN: 0205845487)

Table of Contents

Chapter 1 – Why the Social Researcher Uses Statistics	[page 2]
Chapter 2 – Organizing the Data	[page 12]
Chapter 3 – Measures of Central Tendency	[page 23]
Chapter 4 – Measures of Variability	[page 32]
Chapter 5 – Probability and the Normal Curve	[page 42]
Chapter 6 – Samples and Populations	[page 52]
Chapter 7 – Testing Differences between Means	[page 65]
Chapter 8 – Analysis of Variance	[page 79]
Chapter 9 – Nonparametric Tests of Significance	[page 93]
Chapter 10 – Correlation	[page 107]
Chapter 11 – Regression Analysis	[page 118]
Chapter 12 – Nonparametric Measures of Correlation	[page 129]
Chapter 13 – Applying Statistical Procedures to Research Problems	[page 139]

CHAPTER 1

Why the Social Researcher Uses Statistics

Chapter 1: Multiple Choice Questions

1. A hypothesis is a(n):
- fundamental unit of scientific observation.
 - statement of the relationship between two or more variables.
 - scientific fact of truth.
 - observable and measurable variable.

Answer: b. statement of the relationship between two or more variables.

Objective: Factual

Page number: 2

Level: Basic

2. In a hypothesis, the presumed cause is called the:
- dependent variable.
 - independent variable
 - aggregate.
 - constant.

Answer: b. independent variable.

Objective: Factual

Page number: 2

Level: Basic

3. In a hypothesis, the presumed effect is called the:
- dependent variable.
 - independent variable.
 - aggregate.
 - constant.

Answer: a. dependent variable.

Objective: Factual

Page number: 2

Level: Basic

Instructions: Questions 4-7 refer to the following situation:

A social work student is interested in studying the relationship between an adult's age and their view on off-shore drilling. The student plans to compare adults who consider themselves Extremely anti-drilling, Anti-drilling, Neutral, Pro-drilling, and Extremely pro-drilling.

4. The dependent variable is:
- age.
 - view on off-shore drilling.

- c. state in which the person lives.
- d. none of the above

Answer: b. view on off-shore drilling.
Objective: Conceptual
Page number: 2
Level: Basic

5. What level of measurement is 'view on off-shore drilling' for this research question?
- a. Nominal
 - b. Ordinal
 - c. Interval/ratio
 - d. None of the above

Answer: b. Ordinal
Objective: Conceptual
Page number: 12-14
Level: Basic

6. The researcher chose to measure age as a number between 18 and 110. What level of measurement is age for this research question?
- a. Nominal
 - b. Ordinal
 - c. Interval/ratio
 - d. None of the above

Answer: c. Interval/ratio
Objective: Conceptual
Page number: 12-14
Level: Basic

7. The independent variable is:
- a. age
 - b. view on off-shore drilling
 - c. state in which the person lives
 - d. none of the above

Answer: a. age
Objective: Conceptual
Page number: 2
Level: Basic

8. The stages of research do NOT always include:
- a. data collection.
 - b. data analysis.
 - c. algebra.
 - d. interpretation of results.

Answer: c. algebra
Objective: Factual
Page number: 11

Level: Basic

9. Social researchers can use measurement to:

- a. name or categorize data.
- b. rank order data.
- c. assign a score.
- d. all of the above

Answer: d. all of the above

Objective: Factual

Page number: 11

Level: Basic

10. Nominal measurement is used primarily to:

- a. name or categorize data.
- b. rank order data.
- c. both of the above
- d. none of the above

Answer: a. name or categorize data.

Objective: Factual

Page number: 12

Level: Basic

11. Ordinal measurement is used primarily to:

- a. assign a score.
- b. rank order data.
- c. both of the above
- d. none of the above

Answer: b. rank order data.

Objective: Factual

Page number: 13-14

Level: Basic

12. Interval/ratio measurement is used primarily to:

- a. name or categorize data.
- b. assign a score.
- c. both of the above
- d. none of the above

Answer: b. assign a score.

Objective: Factual

Page number: 13-15

Level: Basic

13. A social researcher is interested in studying the relationship between an abstinence-only program and teen pregnancy. To test her hypothesis, she compares the results of 50 teens participating in an abstinence-only program to 50 teens participating in a more conventional sex-education program. What type of research is this?

- a. Experiment
- b. Survey
- c. Content analysis
- d. Secondary analysis

Answer: a. Experiment

Objective: Conceptual

Page number: 3-9

Level: Intermediate

14. A team of researchers is interested in determining how national political figures have been depicted historically on TV. The researchers painstakingly review the content of archival video footage to determine how objective and accurate the depictions are. What type of research is this?

- a. Experiment
- b. Survey
- c. Content analysis
- d. Secondary analysis

Answer: c. Content analysis

Objective: Conceptual

Page number: 3-9

Level: Intermediate

15. The United States census occurs every 10 years and aims to have each American household answer a series of questions. What type of research is this?

- a. Experiment
- b. Survey
- c. Content analysis
- d. Secondary analysis

Answer: b. Survey

Objective: Conceptual

Page number: 3-9

Level: Intermediate

16. A social researcher is interested in studying patients' sense of spirituality to see if it correlates with how well they respond to treatment. She only reviews archival data previously collected in a scientific manner. What type of research is this?

- a. Experiment
- b. Survey
- c. Content analysis
- d. Secondary analysis

Answer: d. Secondary analysis

Objective: Conceptual

Page number: 3-9

Level: Intermediate

17. Statistics may be used for:

- a. description
- b. decision making
- c. both of the above
- d. none of the above

Answer: c. both of the above

Objective: Factual

Page number: 18-23

Level: Basic

18. Which of the following is *not* true of the survey method?
- a. Surveys often seek to reconstruct influences after they have occurred.
 - b. Surveys tend to be more representative than experiments.
 - c. Surveys establish cause and effect better than experiments.
 - d. Surveys usually measure but do not manipulate variables.

Answer: c. Surveys establish cause and effect better than experiments

Objective: Factual

Page number: 4-5

Level: Basic

19. Which of the following is *not* a research strategy?
- a. An experiment
 - b. A survey
 - c. Participant observation
 - d. Interval data

Answer: d. Interval data

Objective: Factual

Page number: 3-9

Level: Basic

20. Joining a radical environmentalist group to understand group dynamics and gather data over time is an example of which research strategy?
- a. An experiment
 - b. Meta-analysis
 - c. Participant observation
 - d. A survey

Answer: c. Participant observation

Objective: Conceptual

Page number: 3-9

Level: Basic

21. In which of the following research strategies is the independent variable manipulated?
- a. An experiment
 - b. A survey
 - c. Participant observation
 - d. All of the above

Answer: a. An experiment

Objective: Factual
Page number: 3-4
Level: Basic

22. In an experiment, the group not subject to experimental manipulation is called the _____ group.

- a. treatment
- b. independent
- c. random
- d. control

Answer: d. control

Objective: Factual
Page number: 3-4
Level: Basic

23. The concept of "mutually exclusive" means that:

- a. there is a category for every case that arises.
- b. there is an order to every set of numbers.
- c. there is one, and only one, category for every case.
- d. None of the above

Answer: c. there is one, and only one, category for every case

Objective: Factual
Page number: 12
Level: Basic

24. "Exhaustive" means that:

- a. there is a category for every case which arises.
- b. there is an order to every set of numbers.
- c. there is one, and only one, category for every case.
- d. None of the above

Answer: a. there is a category for every case that arises

Objective: Factual
Page number: 12
Level: Basic

25. Which of the following is *not* a requirement of the nominal scale of measurement?

- a. The cases are mutually exclusive
- b. The cases are mutually exhaustive
- c. There are equal intervals between the cases
- d. None of the above

Answer: c. There are equal intervals between the cases

Objective: Factual
Page number: 12
Level: Basic

Chapter 1: True-False Questions

1. The survey method is used to manipulate the independent variable.

a. True

b. False

Answer: b. False

Objective: Factual

Page number: 4-5

Level: Basic

2. The dependent variable affects the independent variable.

a. True

b. False

Answer: b. False

Objective: Factual

Page number: 2

Level: Basic

3. Variables measured at the nominal level only categorize or classify data.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 12

Level: Basic

4. In the experimental method, the independent variable(s) can be manipulated.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 3-4

Level: Basic

5. Variables measured at the interval level are assigned a score.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 13-15

Level: Basic

6. Variables measured at the interval level cannot be used to classify, categorize, or rank order data.

a. True

b. False

Answer: b. False

Objective: Factual
Page number: 13-15
Level: Basic

7. Variables measured at the ordinal level cannot be used to classify or categorize data.

a. True

b. False

Answer: b. False

Objective: Factual

Page number: 12-13

Level: Basic

8. Statistics cannot be used to describe.

a. True

b. False

Answer: b. False

Objective: Factual

Page number: 18-21

Level: Basic

9. Statistics are often used to make inferences about a population.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 21-24

Level: Basic

10. Meta-analysis is the process of combining the results obtained in a number of previous studies and subjecting them all to a single significance test.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 8-9

Level: Basic

11. Ordinal level data may be treated as interval if the ordered categories are evenly spaced.

a. True

b. False

Answer: a. True

Objective: Factual

Page number: 15-17

Level: Basic

Chapter 1: Work Questions

Instructions: classify the measurement type in each of the following examples as:

- a. Nominal
- b. Ordinal
- c. Interval/ratio

1. An individual's religious affiliation

Answer: a. Nominal
Objective: Conceptual
Page number: 12-15
Level: Intermediate

2. A person's occupation

Answer: a. Nominal
Objective: Conceptual
Page number: 12-15
Level: Intermediate

3. A person's IQ score

Answer: c. Interval/ratio
Objective: Conceptual
Page number: 12-15
Level: Intermediate

4. A person's age in years

Answer: c. Interval/ratio
Objective: Conceptual
Page number: 12-15
Level: Intermediate

5. A person's hair shade (very light, light, medium, dark, very dark)

Answer: b. Ordinal
Objective: Conceptual
Page number: 12-15
Level: Intermediate

6. An individual's racial background

Answer: a. Nominal
Objective: Conceptual
Page number: 12-15

Level: Intermediate

7. A person's hair color (red, brown, blonde, etc.)

Answer: a. Nominal

Objective: Conceptual

Page number: 12-15

Level: Intermediate

8. Someone's comprehension of another language (illiterate, read/speak somewhat, fluent)

Answer: b. Ordinal

Objective: Conceptual

Page number: 12-15

Level: Intermediate

9. A person's highest degree earned (less than high-school, completed high-school, some college, etc.)

Answer: b. Ordinal

Objective: Conceptual

Page number: 12-15

Level: Intermediate

10. The number of children a person has

Answer: c. Interval/ratio

Objective: Conceptual

Page number: 12-15

Level: Intermediate

CHAPTER 2

Organizing the Data

Chapter 2: Multiple Choice Questions

- 1 When organizing a frequency table for a variable measured at the nominal level:
- it matters how the categories are organized.
 - the table should have a title.
 - the categories do not have to be listed in any particular order.
 - b & c

Answer: d. b & c
Objective: Factual
Page number: 41
Level: Basic

2. When organizing a frequency table for a variable measured at the ordinal level:
- categories may be arranged from lowest to highest
 - categories may be arranged from highest to lowest
 - the categories do not have to be listed in any particular order
 - a & b

Answer: d. a & b
Objective: Factual
Page number: 41
Level: Basic

3. When constructing class intervals, it is important to take into consideration:
- the measurement level of the data one has.
 - the pattern within the data that one wants to reveal.
 - the number of variables one uses.
 - none of the above

Answer: b. the pattern within the data that one wants to reveal.
Objective: Conceptual
Page number: 45
Level: Basic

4. The _____ and the _____ are two of the most popular and useful methods of standardizing for size and comparing distributions.
- proportion, median
 - percentage, midpoint
 - proportion, percentage
 - median, midpoint

Answer: c. proportion, percentage
Objective: Factual
Page number: 37-38
Level: Basic

5. In a frequency distribution, the cumulative percentage may be obtained by summing the _____ distribution.

- a. percentage
- b. proportion
- c. rate
- d. ratio

Answer: a. percentage

Objective: Conceptual

Page number: 46

Level: Basic

6. A comparison of the actual number of people who violate the speed limit to the total number of drivers is an example of _____.

- a. a percentage
- b. a proportion
- c. a rate
- d. a ratio

Answer: c. rate

Objective: Conceptual

Page number: 38-40

Level: Intermediate

7. The categories of _____-level distributions do not have to be listed in any particular order

- a. nominal
- b. ordinal
- c. interval
- d. none of the above

Answer: a. nominal

Objective: conceptual

Page number: 41

Level: Intermediate

8. The cumulative frequency is defined as the:

- a. number of scores at any given value.
- b. number of scores below any given value.
- c. number of scores at or below any given score.
- d. number of scores at or above any given value.

Answer: c. number of scores at or below any given score.

Objective: Factual

Page number: 45

Level: Basic

9. The cumulative percentage is defined as the:

- a. percentage of scores at a given value.

- b. percentage of scores above a given value.
- c. proportion of scores at or below a given value.
- d. percentage of scores at or below a given value.

Answer: d. percentage of scores at or below a given value.

Objective: Factual

Page number: 46

Level: Basic

10. If the independent variable is in the rows of a cross-tabulation and the dependent variable is in the columns, which percents do we use for comparisons?

- a. Column
- b. Row
- c. Total
- d. All of the above

Answer: a. Row

Objective: Conceptual

Page number: 57-58

Level: Basic

11. Which of the following is not a commonly used form of graphic representation?

- a. Pie chart
- b. Map
- c. Line chart
- d. Grouped frequency distribution

Answer: d. Grouped frequency distribution

Objective: Factual

Page number: 61-70

Level: Basic

12. _____ typically are used to display continuous measures.

- a. Pie charts
- b. Bar graphs
- c. Histograms
- d. All of the above

Answer: c. Histograms

Objective: Factual

Page number: 61-70

Level: Basic

13. Pie charts are particularly useful for what type of data?

- a. Nominal level data
- b. Ordinal level data
- c. Interval level data
- d. None of the above

Answer: a. Nominal level data

Objective: Factual

Page number: 61
Level: Basic

14. Kurtosis refers to:
- a. the peakedness of a distribution.
 - b. the skewness of distribution.
 - c. the cumulative frequency of a distribution.
 - d. the symmetry of a distribution.

Answer: a. the peakedness of a distribution

Objective: Factual

Page number: 67-69

Level: Intermediate

15. Skewness refers to:
- a. the normal distribution of extreme scores.
 - b. the unequal distribution of extreme scores.
 - c. the central limit theorem.
 - d. None of the above.

Answer: b. the unequal distribution of extreme scores

Objective: Factual

Page number: 67-69

Level: Intermediate

16. A symmetrical distribution that is extremely tall is
- a. leptokurtic.
 - b. platykurtic.
 - c. mesokurtic.
 - d. skewed.

Answer: a. leptokurtic.

Objective: Conceptual

Page number: 67-69

Level: Intermediate

17. A distribution with a tail situated to the right is
- a. negatively skewed.
 - b. positively skewed.
 - c. symmetrical.
 - d. a normal curve.

Answer: b. positively skewed.

Objective: Conceptual

Page number: 67-69

Level: Intermediate

18. What is the upper limit of the class interval 80-89?
- a. 80.5
 - b. 79.5

- c. 88.5
- d. 89.5

Answer: d. 89.5
Objective: Application
Page number: 43-44
Level: Intermediate

19. What is the midpoint of the class interval 80-89?

- a. 83
- b. 84
- c. 84.5
- d. 83.5

Answer: c. 84.5
Objective: Application
Page number: 44-45
Level: Intermediate

Chapter 2: True-False Questions

1. Nominal variables cannot logically be presented in a grouped frequency distribution.

- a. True
- b. False

Answer: a. True
Objective: Factual
Page number: 41
Level: Basic

2. Cumulative frequencies can only be used with variables measured at the ordinal or interval levels.

- a. True
- b. False

Answer: a. True
Objective: Factual
Page number: 45
Level: Basic

3. Class intervals are always equal in size.

- a. True
- b. False

Answer: b. False
Objective: Conceptual
Page number: 53-54
Level: Basic

4. A positively skewed distribution has extreme scores on the left.

- a. True

b. False

Answer: b. False
Objective: Conceptual
Page number: 67-69
Level: Basic

5. The upper limit of a class interval is equal to its highest score.

a. True

b. False

Answer: b. False
Objective: Conceptual
Page number: 43-44
Level: Basic

Chapter 2: Short Answer

1. Rates compare the number of _____ cases to the number of potential cases.

Answer: actual
Objective: Factual
Page number: 38-40
Level: Basic

2. A proportion compares the _____ of a variable to the total number of cases.

Answer: frequency
Objective: Factual
Page number: 37-38
Level: Basic

3. A percentage is based on a scale of _____.

Answer: 100
Objective: Factual
Page number: 37-38
Level: Basic

4. A cross-tabulation generally compares the outcomes of at least _____ variables at the same time.

Answer: two
Objective: Conceptual
Page number: 54-55
Level: Basic

5. _____ variables cannot logically be presented in a grouped frequency distribution.

Answer: Nominal
Objective: Conceptual
Page number: 41
Level: Basic

6. We call a normal curve _____ because folding it at the center creates two identical halves.

Answer: symmetrical
Objective: Conceptual
Page number: 67-69
Level: Intermediate

7. _____ scores on one side of a distribution will cause skewness.

Answer: Extreme
Objective: Conceptual
Page number: 67-69
Level: Intermediate

8. A _____ skewed distribution has its tail on the left.

Answer: negatively
Objective: Conceptual
Page number: 67-69
Level: Intermediate

9. A positively skewed distribution has its tail on the _____.

Answer: right
Objective: Conceptual
Page number: 67-69
Level: Intermediate

10. The terms bar graph and _____ are often used interchangeably though the latter has its bars joined to emphasize continuity.

Answer: histogram
Objective: Factual
Page number: 63
Level: Intermediate

11. A platykurtic distribution tends to be very _____.

Answer: flat

Objective: Conceptual
Page number: 67-69
Level: Intermediate

Chapter 2: Work Questions

Instructions: Questions 1-3 refer to the following situation:

A national pollster prior to a presidential election determines that 16 states can be classified as Blue (democratic), 19 states as Red (republican), and 15 states as Purple (undecided).

1. What proportion of states are Blue?

Answer: 0.32
Objective: Computation
Page number: 37-38
Level: Basic

2. What percentage of the states are Red?

Answer: 38%
Objective: Computation
Page number: 37-38
Level: Basic

3. What percentage of the states are Blue and Purple?

Answer: 62%
Objective: Computation
Page number: 37-38
Level: Basic

Instructions: Questions 4-5 refer to the following situation:

Given the following frequency distribution:

Score	f
20	1
19	2
18	4
17	1
15	1
12	3
8	2
4	1

4. What is the cumulative frequency of score 18?

Answer: 12
Objective: Computation
Page number: 44-47
Level: Intermediate

5. What is the cumulative percentage of score 18?

Answer: 80%
Objective: Computation
Page number: 44-47
Level: Intermediate

Instructions: Questions 6-8 refer to the following situation:

Given the following raw data:

1	5	9
3	1	5
7	4	5
2	6	6

6. Construct a frequency distribution.

Answer:

Score	<i>F</i>
9	1
7	1
6	2
5	3
4	1
3	1
2	1
1	2

Objective: Application
Page number: 44-47
Level: Intermediate

7. Calculate the cumulative frequency for each score value.

Answer: 12, 11, 10, 8, 5, 4, 3, 2
Objective: Computation
Page number: 44-47

Level: Intermediate

8. Calculate the cumulative percentage of each score value

Answer: 100.0%, 91.6%, 83.3%, 66.7%, 41.7%, 33.3%, 25.0%, 16.7%

Objective: Computation

Page number: 44-47

Level: Intermediate

Instructions: Questions 9-11 refer to the following situation:

The incoming cohort of juveniles in a new diversion program consists of 80 males and 120 females. Of this cohort, 140 graduate early.

9. What is the proportion of male participation in the program?

Answer: 0.40

Objective: Computation

Page number: 38-40

Level: Intermediate

10. What is the early release rate?

Answer: 0.70

Objective: Computation

Page number: 38-40

Level: Intermediate

11. If the early release rate of the previous cohort was 60%, what is the early release rate of change?

Answer: 0.17

Objective: Computation

Page number: 38-40

Level: Difficult

Instructions: Questions 12-14 refer to the following situation:

Students majoring in political science and sociology are asked to report the average number of hours per week spent studying. The data are presented in the following cross-tabulation.

	Police Science major	Sociology major
Freshmen year	20	20
Sophomore year	15	30
Junior year	25	30

Senior year	30	15
-------------	----	----

12. Calculate the total percents for each cell.

Answer: 10.8%, 10.8%, 21.6%, 8.1%, 16.2%, 24.3%, 13.5%, 16.2%, 29.7%, 16.2%, 8.1%, 24.3%, 48.6%, 51.4%, 100%

Objective: Computation

Page number: 56-59

Level: Intermediate

13. Calculate the row percents.

Answer: 50%, 50%, 100%, 33.3%, 66.7%, 100%, 45.5%, 54.5%, 100%, 66.7%, 33.3%, 100%, 48.6%, 51.4%, 100%

Objective: Computation

Page number: 56-59

Level: Intermediate

14. Calculate the column percents.

Answer: 22.2%, 21.1%, 21.6%, 16.7%, 31.6%, 24.3%, 27.8%, 31.6%, 29.7%, 33.3%, 15.8%, 24.3%, 100%, 100%, 100%

Objective: Computation

Page number: 56-59

Level: Intermediate