Fundamentals of General, Organic, and Biological Chemistry, 7e (McMurry) Chapter 2 Atoms and the Periodic Table

- 1) The smallest amount of an element that retains that element's characteristics is the
- A) atom.
- B) electron.
- C) molecule.
- D) neutron.
- E) proton.

Answer: A
Diff: 1
Section: 2.1

- 2) Another name for atomic mass unit (amu) is the
- A) avogadro.
- B) dalton.
- C) Kekule
- D) kelvin.
- E) mendeleev.

Answer: B Diff: 1

- Section: 2.1
- 3) Which characteristics correctly describe a proton?
- A) approximate mass 1 amu; charge +1; inside nucleus
- B) approximate mass 5×10^{-4} amu; charge -1; outside nucleus
- C) approximate mass 5×10^{-4} amu; charge +1; inside nucleus
- D) approximate mass 1 amu; charge 0; inside nucleus
- E) approximate mass 1 amu; charge +1; outside nucleus

Answer: A Diff: 1 Section: 2.1

- 4) Which particle has a mass approximately equal to the mass of a proton?
- A) atom
- B) electron
- C) neutron
- D) nucleus
- E) quark

Answer: C

Diff: 1

3) Protons possess a	charge, and neutrons possess a	charge.
A) negative, negative		
B) negative, positive		
C) positive, negative		
D) positive, zero		
E) zero, positive		
Answer: D		
Diff: 1		
Section: 2.1		
6) Protons possess a	charge, and electrons possess a	charge.
A) negative, negative		
B) negative, positive		
C) positive, negative		
D) positive, zero		
E) zero, positive		
Answer: C		
Diff: 1		
Section: 2.1		
7) Which characteristics co	orrectly describe a neutron?	
A) approximate mass 1 am	nu; charge +1; inside nucleus	
B) approximate mass 1 am	u; charge -1; inside nucleus	
C) approximate mass 1 am	u; charge 0; inside nucleus	
D) approximate mass 5×1	10-4 amu; charge 0; inside nucleus	
E) approximate mass 5×1	0-4 amu; charge -1; outside nucleus	
Answer: C		
Diff: 1		
Section: 2.1		
8) Which characteristics co	orrectly describe an electron?	
A) approximate mass 1 am	nu; charge +1; inside nucleus	
B) approximate mass 1 am	u; charge -1; inside nucleus	
C) approximate mass 1 am	u; charge 0; inside nucleus	
	10-4 amu; charge 0; inside nucleus	
E) approximate mass 5×1	0-4 amu; charge -1; outside nucleus	
Answer: E	-	
Diff: 1		
Section: 2.1		

9) In a neutral atom the number of	_ is equal to the number of
A) protons, electrons	
B) protons, neutrons	
C) neutrons, electrons	
D) protons + electrons, neutrons	
E) none of the above	
Answer: A	
Diff: 1	
Section: 2.1	
10) Which statement is incorrect according A) Some sugars have the formula C _{3.5} H ₇ O	•
B) An atom of ¹⁴ N has the same approxima	ate mass as an atom of ¹⁴ C.
C) An atom of ¹⁴ N behaves differently in c D) An example of a chemical reaction is Ca	hemical reactions than an atom of ¹⁴ C.
E) C ₂ H ₆ and C ₃ H ₈ are both possible comp	
Answer: A	ounds of outcon und hydrogon.
Diff: 2	
Section: 2.1	
201	
11) Where is most of the mass of an atom c	oncentrated?
A) electrons	
B) neutrons	
C) nucleus	
D) orbitals	
E) protons	
Answer: C	
Diff: 2	
Section: 2.1	
12) An atom with $Z = 26$ and $A = 58$ contains	ns protons and neutrons
A) 26; 58	•
B) 58; 26	
C) 26; 32	
D) 32; 26	
E) 26; 84	
Answer: C	
Diff: 1	
Section: 2.2	

13) All atom with $Z = 33$ and $A = 80$ contains	protons,	electrons, and	
neutrons.			
A) 35; 35; 80			
B) 80; 35; 35			
C) 35; 35; 45			
D) 45; 80; 45			
E) 45; 80; 35			
Answer: C			
Diff: 1			
Section: 2.2			
14) An atom containing 29 protons, 29 electrons, and	34 neutrons has a m	nass number of	
A) 5.			
B) 29.			
C) 34.			
D) 58.			
E) 63.			
Answer: E			
Diff: 1			
Section: 2.2			
15) The atomic number of an atom containing 29 prote	ons, 29 electrons, ai	nd 34 neutrons is	
A) 5.			
B) 29.			
C) 34.			
D) 58.			
E) 63.			
Answer: B			
Diff: 1			
Section: 2.2			
Section. 2.2			
16) An atom containing 47 protons, 47 electrons, and	60 noutrong has a r	agg number of	
	oo neurons nas a n	lass number of	
A) 13.			
B) 47.			
C) 60.			
D) 107.			
E) 154.			
Answer: D			
Diff: 1			
Section: 2.2			

17) The atomic number of an atom containing 47 protons, 47 electrons, and 60 neutrons i
A) 13.
B) 47.
C) 60.
D) 107.
E) 154.
Answer: B
Diff: 1
Section: 2.2
18) The value for Z for an atom containing 47 protons, 47 electrons, and 60 neutrons is
A) 13.
B) 47.
C) 60.
D) 107.
E) 154.
Answer: B
Diff: 1
Section: 2.2
19) The value of Z for the element ³⁷ Ar is
A) 37
B) 39.945
C) 19
D) 21.945
E) 18
Answer: E
Diff: 1
Section: 2.2
20) For the isotope 71 Ga, $Z = \underline{\hspace{1cm}}$ and $A = \underline{\hspace{1cm}}$.
A) 31; 40
B) 71; 31
C) 71; 40
D) 31; 71
E) 31; 69.723
Answer: D
Diff: 1
Section: 2.2

21) The mass number of Br-81 is
A) 81
B) 79.904
C) 79
D) 46
E) 35
Answer: A
Diff: 1
Section: 2.2
22) How many neutrons does an atom of $\frac{46}{22}$ Ti have?
A) 0
B) 22
C) 24
D) 46
E) 68
Answer: C
Diff: 2
Section: 2.2
2.5
23) Atoms of ${}^{35}_{17}$ Cl contain protons and electrons.
A) 17; 17
A) 17; 17 B) 17; 18
A) 17; 17 B) 17; 18 C) 18; 17
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26 C) 32
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26 C) 32 D) 58
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26 C) 32 D) 58 E) 90
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26 C) 32 D) 58 E) 90 Answer: B
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: A Diff: 2 Section: 2.2 24) An atom with a mass number of 58 and with 32 neutrons will have protons A) 16 B) 26 C) 32 D) 58 E) 90

25) The symbol of the element with 23 protons is A) Mg. B) Na. C) V. D) B. E) none of the above Answer: C Diff: 2 Section: 2.2
26) An atom with Z = 31 and A = 69 contains protons and neutron A) 31; 69 B) 69; 31 C) 31; 38 D) 38; 31 E) 31; 100 Answer: C Diff: 2 Section: 2.2
27) The value of A for an atom containing 29 protons, 29 electrons, and 34 neutrons is A) 5. B) 29. C) 34. D) 58. E) 63. Answer: E Diff: 2 Section: 2.2
28) The value of Z for an atom containing 29 protons, 29 electrons, and 34 neutrons, is A) 5. B) 29. C) 34. D) 58. E) 63. Answer: B Diff: 2 Section: 2.2

29) The value for A for an atom containing 47 protons, 47 electrons, and 60 neutrons is A) 13. B) 47. C) 60. D) 107. E) 154. Answer: D Diff: 2 Section: 2.2
30) The number of neutrons in an atom is equal to: A) atomic number - mass number B) mass number - atomic number C) the atomic number D) the mass number Answer: B Diff: 2 Section: 2.2
31) An atom that contains 47 protons, 47 electrons, and 60 neutrons is an isotope of A) Ag. B) Al. C) Nd. D) Bh. E) cannot be determined from the information given Answer: A Diff: 2 Section: 2.2
32) Atoms of ${}^{35}_{17}$ Cl contain protons and neutrons.
A) 17; 17 B) 17; 18 C) 18; 17 D) 35; 18 E) 35; 17 Answer: B Diff: 2 Section: 2.2

A) $\frac{32}{17}$ Cl
B) $^{17}_{15}$ Cl
C) $\frac{32}{15}$ P
D) $\frac{32}{17}$ P
E) $\frac{17}{15}$ P
Answer: C Diff: 2 Section: 2.2
34) Consider the isotope $\frac{79}{35}$ Br. The atomic number is, and the mass number is
A) 79; 35 B) 35; 79 C) 44; 35 D) 35; 44 E) 35; 114 Answer: B Diff: 2 Section: 2.2
35) Cobalt is element 27. Cobalt-60 is used in the medical treatment of cancer. How many neutrons and protons are contained in the nucleus of this isotope? A) 27 neutrons, 33 protons B) 33 neutrons, 27 protons C) 27 neutrons, 27 protons D) 33 neutrons, 33 protons Answer: B Diff: 2 Section: 2.2
36) Hydrogen exists as three isotopes. These isotopes differ by the number of contained in the atom. A) neutrons B) protons C) electrons D) charges Answer: A Diff: 2 Section: 2.3

- 37) Adding one proton to the nucleus of an atom
- A) converts it to an isotope of the same element.
- B) increases its atomic mass by one unit, but does not change its atomic number.
- C) increases its atomic number by one unit but does not change its atomic mass.
- D) does not change either its atomic number or its atomic mass.
- E) converts it to an atom of a different element.

Answer: E Diff: 1 Section: 2.3

- 38) Adding one neutron to the nucleus of an atom
- A) converts it to an isotope of the same element.
- B) increases its atomic mass by two units, but does not change its atomic number.
- C) increases its atomic number by one unit but does not change its atomic mass.
- D) does not change either its atomic number or its atomic mass.
- E) converts it to an atom of a different element.

Answer: A Diff: 1 Section: 2.3

39) Naturally occurring iron contains 5.82% 54Fe, 91.66 % 56Fe, 2.19% 57Fe, and 0.33% 58Fe. The respective atomic masses are 53.940 amu, 55.935 amu, 56.935 amu, and 57.933 amu. Calculate the average atomic mass of iron.

Answer: 55.847 amu.

Diff: 2 Section: 2.3

- 40) An imaginary element Xq consists of two isotopes having masses of 100.0 amu and 102.0 amu. A sample of Xq was found to contain 20.0% of the 100Xq isotope and 80.0% of the 102Xq. Calculate the atomic weight of Xq.
- A) 100.2 amu
- B) 100.4 amu
- C) 101.0 amu
- D) 101.6 amu
- E) 202.0 amu

Answer: D

Diff: 3 Section: 2.3

- 41) An imaginary element Xz consists of two isotopes having masses of 100.0 amu and 102.0 amu. A sample of Xz was found to contain 75.0% of the 100Xz isotope and 25.0% of the 102Xz. Calculate the atomic weight of Xz.
- A) 100.3 amu
- B) 100.5 amu
- C) 101.0 amu
- D) 101.5 amu
- E) 101.8 amu
- Answer: B
- Diff: 3
- Section: 2.3
- 42) Which of the following represents a pair of isotopes?
- A) 14₆C, 14₇N
- B) $^{1}1H$, $^{2}1H$
- C) 32₁₆S, 32₁₆S-2
- D) O₂, O₃
- Answer: B
- Diff: 3
- Section: 2.3
- 43) Which elements all belong in the same group?
- A) C, N, O
- B) Fe, Cu, Ni
- C) B, Si, As
- D) F, Cl, Br
- E) Al, Ge, Sb
- Answer: D
- Diff: 1
- Section: 2.4
- 44) Elements in the Periodic Table are arranged according to
- A) alphabetical order.
- B) atomic number.
- C) atomic weight.
- D) date of discovery.
- E) number of neutrons.
- Answer: B
- Diff: 1
- Section: 2.4

45) Which element is most likely to have chemical properties similar to those of potassium (atomic number 19)? A) Ar (atomic number 18) B) Ca (atomic number 20) C) Sc (atomic number 21) D) Rb (atomic number 37) E) Sr (atomic number 38) Answer: D Diff: 2 Section: 2.4 46) Which element is **not** a semimetal? A) Al B) Si C) Ge D) As E) none of the above Answer: A Diff: 2 Section: 2.4 47) Which group of elements contains only non-metals? A) Mg, Ca, Sr B) V, Cr, Mn C) Cl, Ar, K D) P, As, Se E) C, S, I Answer: E Diff: 1 Section: 2.4 48) Which of the following is an alkali metal? A) Al B) Cl C) He

D) Na E) O

Answer: D Diff: 1

 49) Magnesium is an example of a(an) A) alkali metal. B) alkaline earth. C) halogen. D) noble gas. E) transition metal. Answer: B Diff: 1 Section: 2.5
50) Which of the following elements is a noble gas? A) Cl B) H C) N D) Ne E) O Answer: D Diff: 1 Section: 2.5
51) Which group contains only metalloids? A) Ni, Pd, Pt B) Si, Ge, As C) Ce, Pr, Nd D) Kr, Xe, Rn E) Po, Fr, Ac Answer: B Diff: 1 Section: 2.5
52) Which group contains only noble gases? A) Ni, Pd, Pt B) Si, Ge, As C) Ce, Pr, Nd D) Kr, Xe, Rn E) Po, Fr, Ac Answer: D Diff: 1 Section: 2.5
53) Which column of the periodic table contains only nonmetals? A) 4A B) 5A C) 6A D) 7A Answer: D Diff: 1 Section: 2.5

	h element is most likely to have chemical properties similar to those of bromine (atomic
number 3	
	mic number 16)
	omic number 34)
, ,	omic number 36)
D) Te (at	omic number 52)
E) I (aton	nic number 53)
Answer:	E
Diff: 2	
Section:	2.5
55) The r	naximum number of electrons in any orbital is
A) 1	
B) 2	
C) 3	
D) 4	
E) 5	
Answer:	В
Diff: 1	
Section:	2.6
56) How	many electrons can occupy the shell having $n = 2$?
A) 2	
B) 6	
C) 8	
D) 18	
E) 32	
Answer:	C
Diff: 1	
Section:	2.6
Section.	2.0
57) How	many electrons can occupy the shell having $n = 4$?
A) 2	
B) 8	
C) 10	
D) 18	
E) 32	
Answer:	E
Diff: 1	
Section:	2.6

A) 1
A) 1 B) 2
C) 6
D) 8
E) 10
Answer: B
Diff: 1
Section: 2.6
59) How many electrons can occupy the 4d subshell? A) 1 B) 2
C) 6 D) 8
E) 10
Answer: E
Diff: 1
Section: 2.6
60) What is the maximum number of electrons that can ecount the 4f orbitals?
60) What is the maximum number of electrons that can occupy the 4f orbitals? A) 2 B) 6 C) 8 D) 10 F) 14
A) 2 B) 6 C) 8 D) 10 E) 14
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E
A) 2 B) 6 C) 8 D) 10 E) 14
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6 C) 8
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6 C) 8 D) 10
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6 C) 8 D) 10 E) 14
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6 C) 8 D) 10 E) 14 Answer: D
A) 2 B) 6 C) 8 D) 10 E) 14 Answer: E Diff: 1 Section: 2.6 61) What is the maximum number of electrons that can occupy the 3d orbitals A) 2 B) 6 C) 8 D) 10 E) 14

62) At maximum, an f subshell can hold	electrons, a d subshell can hold	electrons
and a <i>p</i> subshell can hold electrons.		
A) 14, 10, 6		
B) 2, 8, 18		
C) 18, 8, 2		
D) 2, 12, 21		
E) 14, 6, 10		
Answer: A		
Diff: 1		
Section: 2.6		
63) The electron capacity of the third shell is	·	
A) 8		
B) 10		
C) 18		
D) 24		
E) 32		
Answer: C		
Diff: 2		
Section: 2.6		
64) Which of the following subshells consists of	f three orbitals?	
A) 4s		
B) 4p		
C) 4d		
D) 4f		
E) none of the above		
Answer: B		
Diff: 2		
Section: 2.6		
65) Which of the following subshells consists of	f five orbitals?	
A) 4s		
B) 4p		
C) 4d		
D) 4f		
E) none of the above		
Answer: C		
Diff: 2		
Section: 2.6		

66) The shell having n = 2 contains	subshells,	orbitals, and up to
electrons.		
A) 1, 2, 4		
B) 2, 4, 8		
C) 3, 6, 12		
D) 4, 8, 16		
E) none of the above		
Answer: B		
Diff: 3		
Section: 2.6		
67) The shell having n = 3 containselectrons	subshells,	orbitals, and up to
A) 2, 4, 8		
B) 3, 6, 12		
C) 3, 6, 18		
D) 3, 9, 18		
E) 3, 12, 36		
Answer: D		
Diff: 3		
Section: 2.6		
68) Explain the term "quantized" as it apple example that has not been previously ment Answer: The term "quantized" means that leads to the idea of definite orbitals, instead atom. Examples can be things that are cour candy bar is quantized □it cannot be 39.446 Diff: 2 Section: 2.6	ioned of something their electrons can d of allowing the ele thed, but cannot be	that is quantized.) only have certain values of energy. This ectrons to be at any location within the split into smaller parts. The price of a

Answer: C

A) 1s² 2s² 2p²

B) 1s² 2s² 2p⁶ 3s² 3p² C) 1s² 2s² 2p⁶ 3s² 3p⁴ D) 1s² 2s² 2p⁶ 3s² 3p⁶

E) 1s² 2s² 2p⁶ 3s² 3p⁶ 4s² 3d¹

69) What is the electron configuration of S?

- 70) What is the electron configuration of Mg?
- A) $1s^2 2s^2 2p^8$
- B) 1s² 2s² 2p⁶ 3s²
- C) 1s² 2s² 2p⁶ 3s¹ 3p³
- D) 1s2 2s2 2p6 3s2 3p6 4s2 3d5
- E) none of the above

Answer: B Diff: 2 Section: 2.7

- 71) The element with the electron configuration 1s² 2s² 2p⁴ is _____.
- A) Be
- B) C
- C)O
- D) Si
- E) S

Answer: C Diff: 2

Section: 2.7

- 72) What is the electron configuration of Fe?
- A) 1s² 2s² 2p⁶ 3s² 3p⁶ 3d⁸
- B) 1s² 2s² 2p6 3s² 3p6 4s² 3d6
- C) $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 4p^6$
- D) 1s² 2s² 2p⁶ 3s² 3p⁶ 4s²
- E) 1s² 2s² 2p⁶ 3s² 3p⁶ 3d⁶

Answer: B Diff: 2 Section: 2.7

- 73) The ground state electron configuration for nickel is
- A) 1s2 2s2 2p6 3s2 3p6 3d10.
- B) 1s² 2s² 2p6 3s² 4s² 3d¹⁰ 4p⁴.
- C) 1s² 2s² 2p⁶ 3s² 3p⁶ 4s² 4d⁸.
- D) 1s² 2s² 2p⁶ 3s² 3p⁶ 4s² 3d⁸.

Answer: D Diff: 3 Section: 2.7

74) The element with the electron configuration 1s ² 2s ² 2p ⁶ 3s ² 3p ⁵ is
A) fluorine.
B) chlorine.
C) carbon.
D) potassium.
E) sulfur.
Answer: B
Diff: 2
Section: 2.7
75) An element with the same number of valence electrons as the element with the electron
configuration 1s ² 2s ² 2p ⁶ 3s ² 3p ⁵ is
A) iodine.
B) oxygen.
C) argon.
D) potassium.
E) sulfur.
Answer: A
Diff: 2
Section: 2.7
Section. 2.7
76) The element with the electron configuration 1s ² 2s ² 2p ⁶ 3s ² 3p ⁶ 4s ¹ is
A) Rb.
B) Ar.
C) Ca.
D) K.
E) Mg.
Answer: D
Diff: 2
Section: 2.7
Section. 2.7
77) The number of valence electrons in an element with electron configuration
1s ² 2s ² 2p ⁶ 3s ² 3p ⁴ is
A) 2
B) 4
C) 6
D) 8
E) 16
Answer: C
Diff: 2
Section: 2.7

- 78) The correct order for filling orbitals with electrons is _____.
- A) 1s, 2s, 2p, 3s, 3d, 4s, 3p
- B) 1s, 2s, 3s, 4s, 2p, 3p, 3d
- C) 1s, 2s, 2p, 3s, 3p, 4s, 3d
- D) 1s, 2s, 3d, 2p, 3p, 3s, 4s

Answer: C

Diff: 2

Section: 2.7

- 79) The electron configuration for phosphorus is
- A) 1s² 1p⁶ 2s² 2p⁵.
- B) 1s² 2s² 2p⁶ 3p⁵.
- C) 1s2 2s2 2p6 3s4 3p1.
- D) 2s² 2p⁶ 3s² 3p⁵.
- E) 1s22s22p63s23p3.

Answer: E

Diff: 3

Section: 2.7

- 80) Which group contains only f-block elements?
- A) Ni, Pd, Pt
- B) Si, Ge, As
- C) Ce, Pr, Nd
- D) Kr, Xe, Rn
- E) Po, Fr, Ac

Answer: C

Diff: 1

Section: 2.8

- 81) Which group contains only d-block elements?
- A) Ni, Pd, Pt
- B) Si, Ge, As
- C) Ce, Pr, Nd
- D) Kr, Xe, Rn
- E) Po, Fr, Ac

Answer: A

Diff: 1

Section: 2.8

- 82) Which group contains only p-block elements?
- A) N, S, Br
- B) Mn, Cu, Ag
- C) K, Mg, Al
- D) Ce, Pr, Nd

Answer: A

Diff: 1

83) Transition metals can also be called A) s-block elements. B) p-block elements. C) d-block elements. D) f-block elements. E) precious metals. Answer: C Diff: 1 Section: 2.8
84) The number of valence electrons in a main group element is given by A) the element's atomic number B) the element's atomic weight C) the element's group number D) none of the above Answer: C Diff: 1 Section: 2.8
85) Valence electrons in the main group elements are contained in which type(s) of orbitals? A) s B) p C) s and p D) d Answer: C Diff: 1 Section: 2.8
86) How many electrons are there in the valence shell of a nitrogen atom? A) 0 B) 2 C) 3 D) 5 E) 7 Answer: D Diff: 2 Section: 2.8
87) An s-block element in the 5th Period is A) Y. B) As. C) Sr. D) Mo. E) Ag. Answer: C Diff: 2

88) The element which has four valence electrons is
A) H
B) Na
C) Mg
D) Si
E) S
Answer: D
Diff: 2
Section: 2.8
89) An element with 2 valence electrons is
A) Se
B) Si
C) Ca
D) Rb
Answer: C
Diff: 2

- 90) In terms of atomic structure, the common characteristic of elements in the same group is
- A) number of electrons.
- B) number of electrons in the outermost shell.
- C) number of neutrons.
- D) number of protons.
- E) none of the above

Answer: B Diff: 3 Section: 2.8

Section: 2.8

91) Explain how the term "valence electrons" is related to electron configurations. Use the elements in group VI, Periods, 3, 4, and 5, as examples.

Answer: The electron configuration allows us to determine the number of valence electrons by identifying the orbitals in the outermost shell so their electrons can be counted. The orbitals in the outermost shell are all those with the largest coefficient. For example, the electron configuration of S is $1s^22s^22p^63s^23p^4$. The outermost orbitals, which have a coefficient of 3, contain six electrons. Therefore sulfur has six valence electrons. For Se, the electron configuration is [Ar] $4s^23d^{10}4p^4$, and the orbitals with the largest coefficient (4) contain six electrons. Selenium has six valence electrons. Likewise, for Te, the electron configuration is [Kr] $5s^24d^{10}5p^4$, and the orbitals with the largest coefficient (5) contain a total of six electrons, the valence electrons.

Diff: 3 Section: 2.8