```
<!DOCTYPE html>
<html>
<head>
<title>Web Page Activity 1</title>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
</head>
<body>
<h1>The World Wide Web</h1>
The World Wide Web, abbreviated as WWW and
commonly known as the web, is a system of
interlinked hypertext documents accessed via the
Internet.
With a web browser, one can view web pages
that may contain text, images, videos, and other
multimedia and navigate between them by using hyperlinks.
There are many different types of web sites,
including:
Social networking
Publishing
Wikis
Shopping and catalog
Search portal
```

```
<!-- Web page activity #1 by Your Name -->
</body>
</html>
```

```
<html>
<head>
<title>Web Page Activity 2</title>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<style type="text/css">
body {font-family: arial, sans-serif;}
h1 {border-bottom: solid thin;}
</style>
</head>
<body>
<h1>Social Media</h1>
```

Social media refers to the means of interactions among people in which they create, share, and exchange information and ideas in virtual communities and networks.

There are many effects that stem from Internet usage. According to Nielsen, Internet users continue to spend more time with social media sites than any other type of site. At the same time, the total time spent on social media in the U.S. across PC and mobile devices increased by 37 percent to 121 billion minutes in July 2012 compared to 88 billion minutes in July 2011.

Social media differentiates from traditional/industrial media in many aspects such as: Quality Reach Frequency Usability Immediacy </body> </html> <!-- Web page activity #2 by Your Name --> <!-- source http://en.wikipedia.org/wiki/Social\_media--> <html> <head> <title>Web Page Project 1-5</title> <meta http-equiv="Content-Type" content="text/html;</pre> charset=UTF-8"> </head>

```
<body>
<h1>Web Browser</h1>
```

A web browser (commonly referred to as a browser) is a software application for retrieving, presenting, and traversing information resources on the World Wide Web. An information resource is identified by a Uniform Resource Identifier (URI) and may be a web page, image, video or other piece of content. Hyperlinks present in resources enable users easily to navigate their browsers to related resources.

Although browsers are primarily intended to use the World Wide Web, they can also be used to access information provided by web servers in private networks or files in file systems.

```
The major web browsers are:

Google Chrome
Mozilla Firefox
Internet Explorer
Opera
Safari
```

<h2>History</h2>

The first web browser was invented in 1990 by Sir Tim Berners-Lee. It was called WorldWideWeb and was later renamed Nexus.

In 1993, browser software was further innovated by Marc Andreessen with the release of Mosaic (later Netscape), "the world's first popular browser," which made the World Wide Web system easy to use and more accessible to the average person. Andreesen's browser sparked the Internet boom of the 1990s. The introduction of Mosaic in 1993 - one of the first graphical web browsers - led to an explosion in web use. Andreessen, the leader of the Mosaic team at NCSA, soon started his own company, named Netscape, and released the Mosaic-influenced Netscape Navigator in 1994, which quickly became the world's most popular browser, accounting for 90% of all web use at its peak (see usage share of web browsers).

```
<!-- Web page project 1-5 by Your Name -->
</body>
</html>
<!-- source http://en.wikipedia.org/Web_browser-->
<html>
<head>
<title>Web Page Project 1-6</title>
<meta http-equiv="Content-Type" content="text/html;</pre>
charset=UTF-8">
<style type="text/css">
h1 {color:blue; font-family: verdana; border-bottom: thin solid;}
p (font-family: arial;)
</style>
</head>
<body>
<h1>Cascading Style Sheets</h1>
Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation semantics
```

(the look and formatting) of a document written in a markup language. Its most common application is

to style web pages written in HTML and XHTML, but the language can also be applied to any kind of XML document.

CSS is designed primarily to enable the separation of document content (written in HTML or a similar markup language) from document presentation, including elements such as the layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple pages to share formatting, and reduce complexity and repetition in the structural content (such as by allowing for tableless web design). CSS can also allow the same markup page to be presented in different styles for different rendering methods, such as onscreen, in print, by voice (when read out by a speech-based browser or screen reader) and on Braille-based, tactile devices. It can also be used to display the web page differently depending on the screen size or device on which it is being viewed. While the author of a document typically links that document to a CSS file, readers can use a different style sheet, perhaps one on their own computer, to override the one the author has specified.

<!-- Web page project 1-6 by Your Name -->
</body>
</html>

<!-- source http://en.wikipedia.org/wiki/Cascading\_Style\_Sheets-->